


NEW **ProStyle™ SF** TURBINES

INTERNATIONAL AND OEM/OBL FULL PRODUCT INTRODUCTORY PRICE LIST



CE
0120

lares®
RESEARCH
60 Years of Quality

295 Lockheed Ave. • Chico, California 95973 • U.S.A.
Worldwide: +1-530-345-1767 • From U.S.A.: 1-888-333-8440 • Fax: +1-530-345-1870
Email: world-sales@laresdental.com

www.laresdental.com

Lares Research LRS06831 Rev. D 01/17

Table of Contents

Specifications and Features

High Speed Turbine Model Descriptions and Specifications	2
--	---

Highspeed Turbines **3-6**

Ceramic Bearing Turbines	3-4
--------------------------	-----

Steel Bearing Turbines	5-6
------------------------	-----

Couplers (Lares MULTIflex* Couplers) **7**

Back End Configurations **8**

Dealer Only Repair & Replacement Parts **9-14**

Packaged solely for trained handpiece repair technician.

Rotor Compatibility Part Selection Chart	9
--	---

Rotors	10
--------	----

Headcaps	11
----------	----

Tools	11
-------	----

Gaskets, Springs and O-Rings	11-12
------------------------------	-------

Swivel Sleeves, Adapters and Parts	12-13
------------------------------------	-------

Diffuser, Coupler Parts and LED Lamps	14
---------------------------------------	----

Miscellaneous	14
---------------	----

Customer Replacement Parts **15-19**

Packaged with instructions and tooling for in-office installation by dental office personnel.

Rotors	15
--------	----

Rotor Compatibility Part Selection Chart	16
--	----

Headcaps	17
----------	----

Tools	17-18
-------	-------

Lubrication	18
-------------	----

Gaskets, Springs and O-Rings	18
------------------------------	----

Diffuser and Coupler Parts	18
----------------------------	----

LED Lamps, Hoses, Lighting Supplies	18
-------------------------------------	----

Export Terms and Conditions of Sale **19**

Product Warranties **19**

* MULTIflex is a trademark of Kavo Dental GmbH

New ProStyle SF International and OEM/OBL Pricing: USD

Item Number	Description New ProStyle SF™	Special Introductory Price
Ceramic Model Pricing	Ceramic Ball Bearing Models	Product Special Pricing
13124-236	Quick Connect Swivel Mini head 557 ProStyle SF Lite, Ceramic, Optic (MA or Y)	\$240.00
13305-236	Quick Connect Swivel Standard head 757 ProStyle SF Lite, Ceramic, Optic (MA or Y)	\$240.00
13130-236	Quick Connect Swivel Mini head 557 ProStyle SF, Ceramic, Optic	\$240.00
13140-236	Quick Connect Swivel Standard head 757 ProStyle SF, Ceramic, Optic	\$240.00
13125-236	Quick Connect Swivel Mini head 557 ProStyle SF Lite, Ceramic, Non-Optic (MA or Y)	\$230.00
13307-236	Quick Connect Swivel Standard head 757 ProStyle SF Lite, Ceramic, Non-Optic (MA or Y)	\$230.00
13131-236	Quick Connect Swivel Mini head 557 ProStyle SF, Ceramic Non-Optic	\$230.00
13141-236	Quick Connect Swivel Standard head 757 ProStyle SF, Ceramic Non-Optic	\$230.00
13001-036	5 Hole Mini head 557 Ceramic ProStyle SF Lite, Optic	\$210.00
13621-036	5 Hole Standard head 757 Ceramic ProStyle SF Lite, Optic	\$210.00
13004-036	4 Hole Mini head 557 Ceramic ProStyle SF Lite, Non-Optic	\$165.00
13624-036	4 Hole Standard head 757 Ceramic ProStyle SF Lite, Non-Optic	\$165.00
Steel Bearing	Description: Steel Ball Bearing Models	Product Special Pricing
13124-222	Quick Connect Swivel Mini head 557 ProStyle SF Lite, Optic	\$230.00
13305-222	Quick Connect Swivel Standard head 757 ProStyle SF Lite, Optic	\$230.00
13130-222	Quick Connect Swivel Mini head 557 ProStyle SF, Optic	\$230.00
13140-222	Quick Connect Swivel Standard head 757 ProStyle SF, Optic	\$230.00
13125-222	Quick Connect Swivel Mini head 557 ProStyle SF Lite, Non-Optic	\$220.00
13307-222	Quick Connect Swivel Standard head 757 ProStyle SF Lite, Non-Optic	\$220.00
13131-222	Quick Connect Swivel Mini head 557 ProStyle SF, Non-Optic	\$220.00
13141-222	Quick Connect Swivel Standard head 757 ProStyle SF, Non-Optic	\$220.00
13001-022	5 Hole Mini head 557 ProStyle SF Lite, Optic	\$200.00
13621-022	5 Hole Standard head 757 ProStyle SF Lite, Optic	\$200.00
13004-022	4 Hole Mini head 557 ProStyle SF Lite, Non-Optic	\$155.00
13624-022	4 Hole Standard head 757 ProStyle SF Lite, Non-Optic	\$155.00
13002-022	2 Hole Mini head 557 ProStyle SF Lite handle	\$145.00
13622-022	2 Hole Standard head 757 ProStyle SF Lite handle	\$145.00
Couplers	Description	Product Special Pricing
10567	MX Optic Cplr w/Water Ring, LED	\$120.00
10568	MX Optic Cplr no Water Ring, LED	\$100.00

*Pricing not applicable with U.S. Lares Research promotional offers.

557 Models: Power and Durability in a Mini Head





- Small mini head for excellent visibility and accessibility
- 20% more power 18W
- Reduced contra angle for easier posterior access
- Easy, secure push button bur changing
- Chair-side rotor replacement
- Optional solid rod optics with 100% brighter light output
- Available in 4-Hole; 5-Hole and quick connect swivel models
- Autoclavable and chemiclavable
- Steel or Ceramic Bearings

Specifications

Speed: 450,000 rpm	Water Spray: Single Port 	Head Length: 12.6 mm
Power: 18 watts	Head Diameter: 10.4 mm	Overall Head Length (w/19mm bur): 21.9mm

557 Weight By Model

ProStyle SF Lite: 38 grams 	ProStyle SF: 48 grams 	
5 Hole: 44 grams	4 Hole: 42 grams	2 Hole: 42 grams

757 Models: Power for Your Toughest Cutting Requirements







- Full-size head for big cutting power
- Heavy duty construction
- Smooth, quiet operation
- Available in 4-Hole; 5-Hole and quick connect swivel models
- Optional solid rod optics with 100% brighter light output
- Easy, secure push button bur changing
- Chair-side rotor replacement
- Autoclavable and chemiclavable
- Steel or Ceramic Bearings

Specifications

Speed: 360,000 rpm	Water Spray: Multi Port 	Head Length: 14.65 mm
Power: 20 watts	Head Diameter: 13 mm	Overall Head Length (w/19mm bur): 22 mm

757 Weight By Model

ProStyle SF Lite: 43 grams 	ProStyle SF: 54 grams 	
5 Hole: 48 grams	4 Hole: 47 grams	2 Hole: 47 grams



HIGHSPEED TURBINES

Ceramic Bearings

Swivel Styles



ProStyle SF Lite Models:

Super light weight with secure grip design

557 ProStyle SF Lite, Ceramic



Fiber Optic	13124-236	\$240.00
Fiber Optic MA	13124-A36	\$240.00
Non-Fiber Optic MA	13125-A36	\$230.00
Non-Fiber Optic	13125-236	\$230.00

Fiber Optic Y	13124-C36	\$240.00
Non-Fiber Optic Y	13125-C36	\$230.00

757 ProStyle SF Lite, Ceramic



Fiber Optic	13305-236	\$240.00
Fiber Optic MA	13305-A36	\$240.00
Non-Fiber Optic MA	13307-A36	\$230.00
Non-Fiber Optic	13307-236	\$230.00

Fiber Optic Y	13305-C36	\$240.00
Non-Fiber Optic Y	13307-C36	\$230.00

ProStyle SF Models:

Solid feel with smooth easy to clean grip

557 ProStyle SF, Ceramic



Fiber Optic	13130-236	\$240.00
Non-Fiber Optic	13131-236	\$230.00

757 ProStyle SF, Ceramic



Fiber Optic	13140-236	\$240.00
Non-Fiber Optic	13141-236	\$230.00

HIGHSPEED TURBINES

Ceramic Bearings - Continued



Non-Swivel ProStyle SF Lite Models

557 ProStyle SF Lite, Ceramic



Fiber Optic- 4-Hole	13001-036	\$210.00
Non-Fiber Optic- 4-Hole	13004-036	\$165.00

757 ProStyle SF Lite, Ceramic



Fiber Optic- 4-Hole	13621-036	\$210.00
Non-Fiber Optic- 4-Hole	13624-036	\$165.00


Brighter, Cooler, More Comfortable and More Powerful



100% More Light Output
New solid rod cellular optics for brighter, longer lasting illumination



Cooler
New 4 port spray (757 models) with improved water atomization for better spray coverage



20% More Power (18w)
*557 Compact Head



More Comfortable
Ergonomically optimized grip diameter and gentler handle bend radius for reduced hand fatigue and better control.

HIGHSPEED TURBINES

Standard Bearings (Steel)

Swivel Styles 

ProStyle SF Lite Models:

Super light weight with secure grip design

557 ProStyle SF Lite, Steel



Fiber Optic	13124-222	\$230.00
Non-Fiber Optic	13125-222	\$220.00

757 ProStyle SF Lite, Steel



Fiber Optic	13305-222	\$230.00
Non-Fiber Optic	13307-222	\$220.00

ProStyle SF Models:

Solid feel with smooth easy to clean grip

557 ProStyle SF, Steel



Fiber Optic	13130-222	\$230.00
Non-Fiber Optic	13131-222	\$220.00

757 ProStyle SF, Steel



Fiber Optic	13140-222	\$230.00
Non-Fiber Optic	13141-222	\$220.00

HIGHSPEED TURBINES

Standard Bearings (Steel) - Continued



Non-Swivel ProStyle SF Lite Models

557 ProStyle SF Lite, Steel



Fiber Optic- 5-Hole	13001-022	\$200.00
Non-Fiber Optic- 4-Hole	13004-022	\$155.00
Non-Fiber Optic- 2-Hole	13002-022	\$145.00

757 ProStyle SF Lite, Steel





Fiber Optic- 5-Hole	13621-022	\$200.00
Non-Fiber Optic- 4-Hole	13624-022	\$155.00
Non-Fiber Optic- 2-Hole	13622-022	\$145.00

SilentForce™: Refined Turbine Performance

DYNAMIC PRECISION™
TURBINE BALANCING



SteelGrip™ Push Button Chucking System



* Reduction in average perceived sound level when tested as per ISO standard test protocol.

Lares MULTIflex* Compatible Couplers



Lares Couplers are MULTIflex* compatible and provide quick easy connectability and smooth 360° swivel capability to reduce hose drag and strain on the user's wrist and forearm.

Lares MX couplers are equipped with LEDS that produce a more natural white light which provides better illumination, are easier on the eyes and assists with clearer visibility. In addition, LEDS are more durable than traditional halogen bulbs saving you time and money.



10567 Coupler, MX, Adjustable Spray, MaxPower LED



\$120.00

Fits 6 Pin (ISO-C) Connections



10568 Coupler, MX, MaxPower LED



\$100.00

Fits 6 Pin (ISO-C) Connections

10286 Coupler, MX, 4 Hole Non-Optic



\$80.00

Fits 4-Hole (ISO-B) Connections

10287 Coupler, MX, Adjustable Spray, 4 Hole Non-Optic



\$90.00

Fits 4-Hole (ISO-B) Connections

10289 Coupler, MX, Fiber Optic, 5 Hole Optic- Standard 4-Hole with Optic



\$190.00

Fits 5-Hole (ISO-B) Connections

10574 Coupler, MX, 2 Hole Non-Optic



\$75.00

Fits Borden 2-Hole (ISO-A) Connections

* MULTIflex is a trademark of Kavo Dental GmbH

lares
RESEARCH
Your cutting edge

www.laresdental.com • Worldwide: +1-530-345-1767

Back End Configuration

How to Determine Your Back End Configuration Requirements

Lares offers a variety of configurations to meet your turbine connection needs. Before you order a new turbine, please refer to the following illustrations to determine the correct back end configuration features to fit your clients' requirements.

MX LED Coupler: MULTIflex* compatible connection with LED lamp in the coupler (ISO-C)

- Drive Air
- Exhaust
- Chip Assist
- Water
- Electric Contact Points



4-Hole Optic:
Fits ISO-B standard 4-hole optic hose connection

- Drive Air
- Exhaust
- Chip Assist
- Water
- Fiber Optic Bundle



Non-Optic MX Coupler:
MULTIflex* compatible ISO standard non-optic coupler

- Drive Air
- Exhaust
- Chip Assist
- Water



4-Hole Midwest:
Fits 4-hole hose connection

- Drive Air
- Exhaust
- Chip Assist
- Water



2-Hole Borden:
Fits 2-hole hose connection

- Drive Air
- Water























* MULTIflex is a trademark of Kavo Dental GmbH

DEALER ONLY **Rotor Compatability Chart**

ProStyle SF

Legend: 4H = Midwest 4 hole • 2H = Borden 2 hole • S = Swivel models • L = Light, Fiber Optic models
C= Ceramic Bearings







Handpiece Part # Model Bearing			 Rotor Part #				
Find Your Handpiece Part Number			10633	10631	10630	10632	10629
13004-022	557 ProStyle SF Lite 4H	Steel	✓				
13001-022	557 ProStyle SF Lite 4H L	Steel	✓				
13124-222	557 ProStyle SF Lite SL	Steel	✓				
13125-222	557 ProStyle SF Lite S	Steel	✓				
13130-222	557 ProStyle SF SL	Steel	✓				
13131-222	557 ProStyle SF S	Steel	✓				
13002-022	557 ProStyle SF Lite 2H	Steel	✓				
13621-022	757 ProStyle SF Lite 4H L	Steel			✓		
13624-022	757 ProStyle SF Lite 4H	Steel			✓		
13305-222	757 ProStyle SF Lite SL	Steel			✓		
13307-222	757 ProStyle SF Lite S	Steel			✓		
13140-222	757 ProStyle SF SL	Steel			✓		
13141-222	757 ProStyle SF S	Steel			✓		
13622-022	757 ProStyle SF Lite 2H	Steel			✓		
13004-036	557 ProStyle SF Lite 4H C	Ceramic				✓	
13001-036	557 ProStyle SF Lite 4H LC	Ceramic				✓	
13124-236	557 ProStyle SF Lite SLC (MA or Y)	Ceramic				✓	
13125-236	557 ProStyle SF Lite SC (MA or Y)	Ceramic				✓	
13130-236	557 ProStyle SF SW SLC	Ceramic				✓	
13131-236	557 ProStyle SF SC	Ceramic				✓	
13621-036	757 ProStyle SF Lite 4H LC	Ceramic					✓
13624-036	757 ProStyle SF Lite 4H C	Ceramic					✓
13305-236	757 ProStyle SF Lite SLC (MA or Y)	Ceramic					✓
13307-236	757 ProStyle SF Lite SC (MA or Y)	Ceramic					✓
13140-236	757 ProStyle SF LC	Ceramic					✓
13141-236	757 ProStyle SF C	Ceramic					✓

PART ID: ProStyle SF		DESCRIPTION - Package only includes part	PRICE
ROTORS			
557 Head Size			
10729	  	Spare Part, 557 ProStyle, Replacement turbine, Non-Push Button	\$89.00
10633	  	Spare Part, 557 ProStyle SF, Push Button, Replacement Turbine	\$113.00
10632	  	Spare Part, 557 ProStyle SF Push Button, Replacement Turbine, Ceramic Bearings	\$123.00
757 Head Size			
10631	  	Spare Part, 757 ProStyle SF Push Button, Replacement Turbine, (Single Water Port)	\$113.00
10630	  	Spare Part, 757 ProStyle SF Push Button, Replacement Turbine	\$113.00
10629	  	Spare Part, 757 ProStyle SF, Push Button Replacement Turbine, Ceramic Bearings	\$123.00

**DEALER ONLY**

Repair Parts (Continued-1)

ProStyleSF

PART ID		DESCRIPTION - Package only includes part	PRICE
HEADCAPS			
557 Head Size			
10089		Spare Part, 557 Turbo+ All Models Prior to ProStyle, Non-Push Button & 330E, Head Cap	\$15.00
10215		Spare Part, 557 Turbo+ All Models Prior to ProStyle, Push Button Head Cap	\$22.00
13215		Spare Part, 557 ProStyle, Push Button, Head Cap, Steel Bearings	\$22.00
11245		Spare Part, 557 All Models Prior to ProStyle, Push Button, Head Cap, Ceramic Bearings	\$28.00
13362		Spare Part, 557 ProStyle, Push Button, Head Cap, Ceramic Bearings	\$28.00
757 Head Size			
10214		Spare Part, 757 ProStyle, Push Button, Replacement Head Cap	\$22.00
11246		Spare Part, 757 ProStyle, Push Button, Head Cap, Ceramic Bearings	\$28.00
TOOLS			
10713		Tool, Replacement Head Cap Wrench, Export, 5 pk	\$16.00
11033		Tool, Wrench, Coupler, MF, 10 pk	\$26.00
11232		Tool, Push Button Spindle Bore Scraper, 5 pk, Lares Super Chuck ONLY	\$12.00
11255		Tool, Spray Port Cleaning, 50 pk	\$29.00
11353		Assembly Grease, 0.5 gr	\$11.00
GASKETS, SPRINGS AND O-RINGS			
10069		Spare Part, Coupler, MX, Replacement O-Ring Kit	\$8.00
10108		Spare Part, 757 Tri-Port O-Ring, 25 pk (All Steel and ceramic models)	\$17.00

**DEALER ONLY****Repair Parts** (Continued-2)**ProStyle SF**

PART ID	DESCRIPTION - Package only includes part	PRICE
GASKETS, SPRINGS AND O-RINGS		
10150	Spare Part, 757 Tri-Port, Front O-Ring Retainer, 10 pk	\$29.00
10518	Spare Part, Replacement Head Cap O-Ring, Export, 10 pk, (All turbine models)	\$16.00
10519	Spare Part, Bearing Loading Spring, 5 pk, (All steel bearing models)	\$9.00
10523	Spare Part, Coupler, MX, O-Ring, Drive Air, 50 pk	\$23.00
10524	Spare Part, Coupler, MX, O-Ring, Assist Air, 75 pk	\$54.00
10525	Spare Part, 557, Replacement Water/Assist Air Tube O-Ring, 75 pk	\$83.00
10526	Spare Part, 557, Replacement Drive Air Tube O-Ring, 50 pk	\$15.00
10527	Spare Part, High-Speed Handpiece, MX, O-Ring, Swivel Sleeve, 50 pk	\$52.00
10562	Spare Part, O-Ring, Swivel Adaptor, MX, 50 pk	\$24.00
10563	Spare Parts: Push Button Chuck Spring Seat, 5 pk, (557 and 757 Lares Super Chuck ceramic only)	\$19.00
10700	Spare Part, 557 Retainer, O-Ring, 10 pk	\$29.00
10702	Spare Part, Replacement 4-Hole and 5-Hole Gasket, Export, 10 pk	\$29.00
10723	Spare Part, Spring, Fiber Optic, 4-Hole, 5 pk	\$13.00
10724	Spare Part, Gasket, 2/3-Hole Handpiece, 10 pk	\$31.00
11247	Spare Part, Replacement Bearing Preload Spring, 5 pk, (All ceramic bearing models)	\$9.00
11271	Spare Part, O-Ring, Drive Air Tube Adaptor, Composite Swivel Adaptor, 25 pk	\$63.00
SWIVEL SLEEVES, ADAPTERS AND PARTS		
557 Head Size		
10205	Spare Part, 557 Ultralite ProStyle, Swivel Sleeve, Marked	\$35.00
10208	Spare Part, 557 Euro ProStyle, Swivel Sleeve, Marked	\$35.00
10557	Spare Part, Sleeve, Swivel, MX, Ultralite 557 ProStyle CX, Marked	\$35.00

**DEALER ONLY****Repair Parts** (Continued-3)**ProStyleSF****PART ID****DESCRIPTION** - Package only includes part**PRICE****SWIVEL SLEEVES, ADAPTERS AND PARTS****557 Head Size**

10559	Spare Part, Sleeve, Swivel, MX, 557 Euro ProStyle, Marked, Ceramic Bearings	\$35.00
11364	Spare Part, 557 Ultralite ProStyle, Swivel Sleeve, Marked	\$35.00
11366	Spare Part, 557 Euro ProStyle, Swivel Sleeve, Marked	\$35.00
11368	Spare Part, Sleeve, Swivel, MX, 557 Ultralite ProStyle, Marked No Serial #, Ceramic Bearings	\$35.00
11370	Spare Part, Sleeve, Swivel, MX, 557 Euro ProStyle, Marked No Serial #, Ceramic Bearings	\$35.00


757 Head Size

10206	Spare Part, 757 Ultralite ProStyle, Swivel Sleeve, Marked	\$35.00
10209	Spare Part, 757 Euro ProStyle, Swivel Sleeve, Marked	\$35.00
10558	Spare Part, 757 Ultralite ProStyle, Swivel Sleeve, Marked, Ceramic Bearings	\$35.00
10560	Spare Part, Sleeve, Swivel, MX, 757 Euro ProStyle, Marked, Ceramic Bearings	\$35.00
11365	Spare Part, 557 Ultralite ProStyle, Swivel Sleeve, Marked	\$35.00
11367	Spare Part, 557 Euro ProStyle, Swivel Sleeve, Marked	\$35.00
11369	Spare Part, 757 Ultralite ProStyle, Swivel Sleeve, Marked, No Serial #, Ceramic Bearings	\$35.00
11371	Spare Part, 757 Euro ProStyle, Swivel Sleeve, Marked, No Serial #, Ceramic Bearings	\$35.00

ALL MX Style Handpieces

11268	Spare Part, MX, Swivel Adaptor, Composite, Opaque	\$49.00
11269	Spare Part, MX, Tube Support, Composite Swivel Adaptor	\$12.00
11270	Spare Part, MX, Drive Air Tube Adaptor, Composite Swivel Adaptor	\$7.00
11287	Spare Part, MX, Swivel Adaptor, Composite, Translucent	\$49.00



















**DEALER ONLY****Repair Parts** (Continued-4)**ProStyleSF**

PART ID	DESCRIPTION - Package only includes part	PRICE
DIFFUSER, COUPLER PARTS & LED LAMPS		
10104	Spare Part, Coupler, Bulb Socket Assembly	\$36.00
10105	Spare Part, Coupler, Water Valve Assembly	\$49.00
10106	Spare Part, Coupler, Spool Assembly, Adjustable Spray, Fiber Optic	\$79.00
10112	Spare Part, Coupler, Set Screw, Adjustable Spray, 5 pk	\$9.00
10113	Spare Part, Coupler, Spring, Compression, Spray Control, 5 pk	\$12.00
10114	Spare Part, Coupler, Base, Pin, Contact, Adjustable Spray, 10 pk	\$36.00
10115	Spare Part, Coupler, Pin, Contact, Adjustable Spray, 20 pk	\$69.00
10117	Spare Part, Coupler, Ring, Snap, Adjustable Spray	\$12.00
10203	Spare Part, Coupler, MX, Ball, Water Valve, 10 pk	\$9.00
10204	Spare Part, Coupler, MX, Adjustment Ring, Marked, "Lares"	\$13.00
10317	Spare Part, Kit, Quad-Port, O-Ring + Diffuser	\$18.00
10554	Spare Part, 757 Tri-Port, Replacement Diffuser	\$16.00
11395	Spare Part, MX Coupler LED Lamp Assembly, 5 pk	\$224.00
MISCELLANEOUS		
10811	Tool, High Speed Handpiece, Dust Cap, 10pk	\$69.00
10854	Spare Parts, 330E, Drive Air Nut	\$11.00
10856	Tool, Pin, Test, 25 pk	\$62.00
10701	Spare Part, Adaptor Plug, 4-Hole	\$19.00
10019	Cable Ties, 3 3/4 IN, 1DZ	\$9.00



Customer Replacement Parts




PART ID		DESCRIPTION - Package includes part plus tooling and instructions when applicable	PRICE
ROTORS			
557 Head Size			
10005-001	  	Spare Part, 557 ProStyle, Replacement Turbine, Non-Push Button	\$99.00
10005-022	  	Spare Part, 557 ProStyle SF™ LITE Push Button Replacement Turbine	\$123.00
10005-036	  	Spare Part, 557 ProStyle SF™ Push Button, Replacement Turbine, Ceramic Bearings	\$149.00
757 Head Size			
10016-022	  	Spare Part, 757 ProStyle SF™ Push Button Replacement Turbine (Single Water Port)	\$123.00
10071-022	  	Spare Part, 757 ProStyle SF™ Tri-Port Push Button, Replacement Turbine	\$123.00
10071-036	  	Spare Part, 757 ProStyle SF™, Tri-Port Push Button, Replacement Turbine, Ceramic Bearings	\$149.00



Find Your Handpiece Part Number

ProStyle SF™

Handpiece Part #	 Rotor Part #			
	10005-022	10071-022	10005-036	10071-036
13001-021	✓			
13004-021	✓			
13124-221	✓			
13125-221	✓			
13130-221	✓			
13131-221	✓			
13140-221		✓		
13141-221		✓		
13305-221		✓		
13307-221		✓		
13621-021		✓		
13624-021		✓		
13001-035			✓	
13004-035			✓	
13124-235 (MA or Y)			✓	
13125-235 (MA or Y)			✓	
13130-235			✓	
13131-235			✓	
13140-235				✓
13141-235				✓
13305-235 (MA or Y)				✓
13307-235 (MA or Y)				✓
13621-035				✓
13624-035				✓
13002-021	✓			
13124-121*	✓			
13125-121*	✓			
13602-021		✓		
13602-035				✓










*All Lares handpieces manufactured prior to March 1, 2004 that end in suffix -021 or -121 use Turbine 10005-022



Customer Replacement Parts



ProStyle SF

PART ID	DESCRIPTION - Package includes part plus tooling and instructions when applicable.		PRICE
HEADCAPS 			
557 Head Size			
10050		Head Cap, 557 All Models Prior to ProStyle, Push Button, Steel Bearings	\$25.00
13050		Head Cap, 557 ProStyle, Push Button, Steel Bearings	\$25.00
10364		Head Cap, Replacement, 330E	\$18.00
11594		Head Cap, 557 All Models Prior to ProStyle, "C" Marked, Push Button, Ceramic Bearings	\$31.00
13360		Head Cap, 557 ProStyle, Push Button, Ceramic Bearings	\$31.00
757 Head Size			
10307		Head Cap, 757 ProStyle	\$25.00
11593		Head Cap, 757 ProStyle, "C" Marked, Push Button, Ceramic Bearings	\$31.00
TOOLS 			
10006	Bur Changer, For 330E (Non-Push Button)		\$25.00
10012	Gauge, Air Pressure, 4 Hole		\$59.00
10013	Gauge, Air Pressure, 2/3 Hole		\$59.00
10014	Air Gauge Adaptor, 4 Hole w/o Gauge		\$25.00
10015	Air Gauge Adaptor, 2/3 Hole w/o Gauge		\$25.00
10020	Air Gauge Adaptor, Swivel w/o Gauge		\$25.00
10062	Gauge, Air Pressure, MX Swivel		\$59.00
10078	Wrench, Head Cap, Push Button, Ultra-Access		\$19.00
10219	Tool, Tri-Port, Diffuser		\$12.00
10308	Wrench, Head Cap, 557/757 ProStyle		\$8.00
10342	Tool, Quad-Port Diffuser		\$13.00



PART ID	DESCRIPTION - Package includes part plus tooling and instructions when applicable.	PRICE
TOOLS 		
10363	Wrench, Coupler, MX	\$7.00
10541	Tool, Spray Port Cleaning	\$5.50
LUBRICATION 		
10035	Nozzle, Conditioner, 4/5h HNPC	\$29.00
10036	Nozzle, Conditioner, 2/3h HNPC	\$29.00
10054	Nozzle, 330E Conditioner, 3 Pk	\$4.00
10083	Handpiece Conditioner, Aerosol Can	\$13.00
10085	Assy, Nozzle, Conditioner, MX	\$13.00
10086	Kit, O-Ring, Nozzle, Conditioner. MX	\$8.00
10361	Nozzle, Conditioner 20K LSPD	\$9.00
10042	O-Ring, Kit, Apollo Swivel Nozzle Replacement	\$8.00
GASKETS, SPRINGS AND O-RINGS 		
10009	Gasket, 4 Hole and 5-Hole For Handpiece	\$5.00
10010	Gasket, 2/3 Hole, For Handpiece	\$8.00
10074	Kit, O-Rings, SW Coupler, MX	\$15.00
10905	Gasket, 6 Pin Coupler, Replacement	\$7.00
DIFFUSER AND COUPLER PARTS 		
10111	Sleeve, Bulb, MX Coupler	\$8.00
10341	Kit, Quad-Port, O-Ring + Diffuser	\$22.00
10555	Kit, Tri-Port, O-Ring + Diffuser	\$19.00
11377	Lamp Assembly, Led, MX Coupler	\$49.00

Export Terms and Conditions of Sale

I. General

- a. All prices are quoted in U.S. dollars.
- b. Lares Research reserves the right to accept or reject any purchase order.
- c. Prices are subject to change without notice.
- d. Prices are stated ex works. All charges incurred during delivery of Lares products are to be paid by the customer, including but not limited to freight, handling, insurance, customs duties, etc.
- e. Lares Research reserves the right to change the design or construction of its products, or to add or discontinue product lines without prior notice or obligation.
- f. Orders placed for immediate shipment will be accepted at prices in effect on the date the order is received.
- g. Orders placed for delayed shipment will be invoiced at prices in effect on the date of shipment.
- h. By ordering distributor acknowledges that certain permits, certifications, establishment licenses, and other identified documents, as well as, Lares end user sales and warranty repair records must be retained and provided to Lares upon request.
- g. Distributor agrees to maintain records of each product purchase and warranty repair of Lares Products, including customer and product serial number information, and to keep the records for a period of five (5) years. Distributor agrees to notify Lares of any product failure complaints within ten (10) days of such complaint, and to maintain records of product failure complaints for five (5) years. Lares shall have the right to inspect and copy the records distributor is required to maintain and keep.

II. Payment

- a. Payment terms are prepayment by check, credit card, PayPal or wire transfer in U.S. dollars. Net 30 days open account payment terms may be granted at Lares discretion after review of favorable credit history documentation.

III. Credit Returns

- a. Any part or product for which the factory seal is unbroken may be returned for equivalent value exchange within 1 year from date of shipment.
- b. Any part or product displaying signs of customer abuse, design changes, or damage will not be accepted for exchange.
- c. Any part or product returned for exchange must be shipped prepaid to the Lares Research, Chico, California, U.S.A. facility and be accompanied by an invoice. All return shipments must be packaged so that no individual shipment exceeds \$10,000.00 stated invoice value.
- d. A Return Material Authorization must be obtained from the Chico facility prior to shipping any items for exchange return.
- e. Any part or product returned for exchange will be credited at the lower of original invoice or current prices.
- f. Any part or product returned to Lares Research with the seal broken will be repaired and returned per the product warranty.

IV. Repairs and Returns of Defective Merchandise

- a. Any part or product which fails in service after installation will be repaired or replaced and returned per the product warranty.
- b. All parts or products returned for repair or replacement must be shipped prepaid to the Lares Research, Chico, California, U.S.A. facility and be accompanied by an invoice.
- c. All repair shipments must be packaged so that no individual shipment exceeds \$10,000.00 stated invoice value.
- d. All parts or products returned for repair must include complete customer details and description of product issues.
- e. Requests for replacement of parts/product, repaired/replaced by Authorized Distributor under terms of warranty must include serial number, customer name, date of original purchase, date of repair, and repair completed.
- f. All incidents of injury and/or complaints that are product-related are to be reported to Lares for evaluation and correction as soon as possible.

Summary of Product Warranties

The following briefly summarizes the warranty policy for Lares Research products and services sold for intended use outside the United States. Lares will provide warranty support for its products based on its warranty experience in the United States. Specific warranty coverage will be determined with each dealer, depending on local market conditions and competitive requirements. To allow local provision of warranty repair, field replaceable items (such as push button chucks, turbines, and o-rings) will be provided in advance, at no additional charge, at the time of shipment of the original order. Any additional warranty coverage will be provided as outlined below:

WARRANTY PERIOD

PRODUCT CATEGORY

1 Year

557 ProStyle SF Handpiece
757 ProStyle SF Handpiece
Swivel Couplers
Handpiece Air Pressure Gauge
Low speed motors

557 Replacement Turbine
757 Replacement Turbine
Ultra-Access Replacement Turbine
Replacement LED Lamp Assemblies
0-5K Low speed Handpieces

6 Months

Hoses

90 Days

Low speed Attachments

Low speed Heads

Product Overhaul/
Product Repair/
Replacement Parts
(see note)

Complete overhaul carries appropriate new product warranty from date of shipment. Repairs and replacement parts carry appropriate new product warranty on specific part(s) repaired or replaced.

Note: When overhaul/repair is purchased, a new warranty is instituted from the date of repair shipment. If repair is made under warranty the original new product warranty expiration date remains unchanged.



www.laresdental.com