


Professionally design and manufacture
Ultrasonic scaler

www.baolaimedical.com www.booool.com





7th Floor, General Building, Hetai Sci. & Tech. Park, No. 9 Gaoxin 4th Rd., Nanning, Guangxi, 530007, China TEL: 0086-771-3815998 FAX: 0086-771-3217883 E-Mail: info@booool.com

MPT1 Painless periodontal treatment device //L/DDIN LED curing light

Ultrasonic scaler
Aluminum alloy handpiece




Nanning Baolai Medical Instrument Co.,Ltd is a modernized high tech enterprise specialized in researching, manufacturing and marketing dental piezo ultrasonic scaler. Having the most advanced technology, we aim to make the best ultrasonic scaler in China.


Besides 33 national patents, we have kept ISO13485, CE, American FDA and Bureau Vertitas certificates. We are the first one launching 'No cracking' aluminum alloy scaler handpiece and 'No consumables' auto-water supply scaler in the world, filling the gap of the industry and pushing forward the trend of MADE IN CHINA to CHINA IDEA! Sticking to the enterprise spirit of LET'S MAKE THINGS BETTER, Baolai devotes itself in contributing more to CHINA IDEA!














### Customers

BAOLAI's products have been sold to more than 100 countries



### Corporate Culture

Best: on behalf of insisting on strategy of success through quality, pursuit of excellence and never stop.

Believable: on behalf of insisting on the principle of sincerity and good faith, and developing enterprise on basis of both.

Brilliant: on behalf of social commitment, people oriented, human and enterprise win-Win.

Beautiful: on behalf of adhering to keep improving, superior to create, beauty in life.

# Handjece

Compatible with EMS scalers

### Model: L3

Aluminum alloy LED handpiece No cracking! More comfortable! Detachable handpiece can be autoclaved under the high temperature and pressure (135°C,0.22MPa)

Compact size, easier to hold and operate.

Compatible with BAOLAI and EMS scalers



No deformation No yellowing No cracking



E Series



#### Model:H1

Sealed handpiece Automatic frequency tracking, works steadily.



### Model: L1

Sealed LED handpiece Automatic frequency tracking, works steadily.



#### Model:H2

Detachable handpiece can be autoclaved under the high temperature and pressure. (135°C,0.22MPa)

Compatible with BAOLAI and EMS scalers





#### Model:H3

15 national patents Aluminum alloy material. Detachable handpiece can be autoclaved under the high temperature and pressure. (135°C,0.22MPa)

Compatible with BAOLAI and EMS scalers

No deformation No yellowing No cracking





# Handpiece s Series

Compatible with Satelec scalers

### D2 Handpiece

Aluminum alloy material.

Detachable handpiece can be autoclaved under the high temperature and pressure. (135°C,0.22MPa)

Compatible with BAOLAI and SATELEC scalers No deformation No yellowing No cracking



SSS C €0197



#### Model: HS1

Sealed handpiece Automatic frequency tracking, works steadily.



#### Model: D1

Sealed LED handpiece Automatic frequency tracking, works steadily. Satelec tips can be used



### Aluminum alloy handpiece

Made of aluminum alloy, it can undergo repeating autoclave and remain uncracked.

Aluminum alloy better disperses heat, protects the transducer and therefore extends use life.

Much more stable working frequency ensures patients' comfort. Anti-skidding design, more comfortable handling, higher grade.



### Model: D3

15 national patents Aluminum alloy LED handpiece

Detachable handpiece can be autoclaved under the high temperature and pressure. (135°C,0.22MPa)

Satelec tips can be used No deformation No yellowing No cracking









### 2pcs bottles 500ml/pc

Switch liquid medicine and purified water anytime.

### Touch-control panel

Handle it easily even by wearing gloves.

### Ф90mm-power knob

More comfortable handling by single finger or two fingers.

### Ф15mm-digital water control switch

Controls water yield accurately every second.

### 54g/pc only- 2pcs aluminum alloy LED handpiece

Can be autoclaved.

No cracking.No yellowing.Disperses heat better. Perio handpiece and scaling handpiece work independently.





TW4
Torque wrench




Titanium alloy tip

Stainless steel tip









Blue light is filtered effectively.





Light transmittance of quartz glass is over 95%. Good drop resistance and wear resistance.

Detachable aluminum alloy LED lamp cap 135°C can be autoclaved(135℃,0.22MPa)

1000-1300mW/cm<sup>2</sup>

5S-20S: LOS L10 L15 L20

1600-1800mW/cm<sup>2</sup>

3S-15S: H03 H05 H10 H15

2200-2400mW/cm<sup>2</sup> 1S-3S: 5H1 5H2 5H3

- Power switch

Time setting

Optional colors:

Orange Purple Green



### BCL-A LED CURING LIGHT connects to the dental unit.





Compact, space saving: 243x145x150(mm)

Waterway system without consumables, cost saving.

White light is optional



Detachable aluminum alloy LED handpiece.

Noiseless working

# No Consumables!



Handpiece:H3



Handpiece:D2



Handpiece:D3



P5L
L3 handpiece
SCALING / PERIO
T1 T1 T2 T3 T4 T5


















B5/B5S
H1/HS1 handpiece
SCALING/PERIO















3 handpiece CALING / PERIO / ENDO



### Rock series Ultrasonic scaler

### Touch screen

Satelec tips can be used on the series

### Model: RP5

Auto-water supply system (optional)

Scaling/Perio/ Endo
Aluminum alloy LED handpiece
No cracking! More comfortable!
Detachable handpiece can be
autoclaved under the high

temperature and pressure.(135°C,0.22MPa)
Rate: 30VDC
Frequency:28kHz±3kHz









#### Model:RD1

Scaling /Perio
Sealed LED handpiece
Automatic frequency tracking,
works steadily.





Model: RD3
Scaling/Perio
Aluminum alloy LED handpiece
No cracking! More comfortable!
Detachable handpiece can be
autoclaved under the high
temperature and pressure.(135°C,0.22M
Rate: 30VDC
Frequency:28kHz±3kHz



Model: RD2
Scaling/Perio
Aluminum alloy handpiece
No cracking! More comfortable!
Detachable handpiece can be autoclaved under the high temperature and pressure.(135°C,0.22MPa)





Scaling/Perio /Endo
Auto-water supply system(optional)
Aluminum alloy handpiece
No cracking! More comfortable!
Detachable handpiece can be
autoclaved under the high

temperature and pressure.(135℃,0.22MPa)

Rate: 30VDC Frequency:28kHz±3kHz




### Auto-water supply system


Design patent.
Rate:5VDC
1000ml capacity.
Water pressure:18KPa-24KPa
It can be used for any ultrasonic scaler.




### OEM & ODM Service













Baolai provides you excellent OEM&ODM services.



## Cseries

### Built-in scaler

Special design for dental unit

Rate:24VAC 50/60Hz Frequency:28kHz±3kHz

Endo function is optional









# Model:C5 Sealed handpiece Automatic frequency tracking, works steadily.





#### Model:C

Detachable handpiece can be autoclaved under the high temperature and pressure. (135℃,0.22MPa)





### Model: C5L

Sealed LED handpiece
Automatic frequency tracking,
works steadily.





### Model:C7

Aluminum alloy handpiece
No cracking! More comfortable!
The best match for dental unit
Detachable handpiece can be autoclaved under the high temperature and pressure.(135℃,0.22MPa)



## Scaler tip (T series)



Removal of supragingival and interdental calculus.



T2 Length:28.6MM N.W:0.9g







Removal of supra and subgingival calculus. It provides easy access to interdental spaces and narrow pocket.



Length:29.6MM N.W:0.8g






Length:31.8MM N.W:1.0g

Removal of calculcus between molar teeth.











T6 Length:30.2MM N.W:0.8g



Removal of supragingival and interdental calculus.
This tip can be used in all quadrants and is very uesful for the removal of hard calculus. Especially between molar teeth.



Length:30.5MM N.W:0.9g







Removal of supra and subgingival calculus. It provides easy access to interdental spaces and narrow pocket.







E1 is compatible with BAOLAI, same as T series tips.



Non-cutting E1 instrument for effective cleaning and irrigation of the root canal system.

### Please use Baolai's scaler tips for Baolai's scalers.





Compatible with: SATELEC, NSK BAOLAI Scaling: S1. S2. S4. S5. S6. S7 Periodontics: S3. S8. S9 Endo: ES1



### Endo file

Stainless steel material, More suitable for cleaning and irrigation of the root canal system.



### Wrench

### Torque Wrench

#### Model:TW3

Unique patent
Aluminum alloy material.
Magnet clamping structrue.
It could hold the tips for at least 3000 times!







Torque Wrench Model:TW2

Plastic material
Magnet clamping structrue.
It can hold the tips
for a least 1500 times!



Wrench Model:TW1



Endo Wrench Model:EW1







Thank you for your continued support for Baolai.

