

2019
CATALOG



**COMPANY &
PRODUCTS**
Review

Contents

INTRODUCTION

Introduction

Corporate Philosophy

History of Invioss

R&D / Production

IMPLANT SYSTEM

ST Abutment Systems

S-Loc Abutment Systems



Introduction

Established In 2018, Invioss is the advanced and specialized manufacturers of Dental Implant system here in Korea and we have been supplying our high quality products to many customers in the world enjoying a very good reputation and also, our quality products are being selected constantly by professional.

Invioss is an abbreviated word of In Value, Innovation, Opportunity, Special list, Smart work and the biggest characteristic of our products is to make with our provide satisfaction to patients and doctors high quality and various dental implant systems.

Accordingly, we let our customers recover their lost smile with beautiful teeth as well as we let our customers feel the pleasure of eating as providing healthy teeth to customers.

We constantly try to fulfill human hope for more healthy and beautiful gum and teeth with S-Loc Abutment most similar to natural teeth. Please try and enjoy our quality products at competitive price.

Invioss CEO Myung-Heon, Ha

Corporate Philosophy

We InviOSS Pursue

A black and white photograph of a male doctor with glasses and a striped shirt, leaning over a young child with blonde hair. The doctor is holding the child's hand and looking at them with a gentle expression. The child is sitting in a medical chair and looking up at the doctor with a smile. The background is a blurred medical office setting with a computer monitor and some papers.

Innovative medical devices
To Patients and doctors

History

History of Invioss

Invioss is an innovative company that release New product to make easy, simple and safe every year Invioss contributes to human well-being by providing dental implant, instrument

Dec. 2018

Foundation of “ Invioss Co., Ltd”

FEB. 2019

MFDS Approved (Class I)

NOV. 2019

GMP & MFDS Approved (Class II)

R&D / Production

R&D

Invioss R&D center in Korea is composed of highly qualified researchers with the specialized installations for developing innovative implant dentistry. All members in R&D are pursuing innovative technical development of implantology used worldwide by combining various basic and clinical studies with the cooperation of the governments, hospitals and educational institutions



Production


Invioss maintains high quality standards for our products and services. We provide products with the highest quality that are under manufacturing standards regulation.



Invioss Implant System

Prosthetic Flow Chart


- ST Abutment systems



Invioss Implant System

Healing Abutment


Tightening Torque : 8~10Ncm



Diameter		4.5	5.5	6.5
Cuff	2.0mm	STHA4520	STHA5520	STHA6520
	3.0mm	STHA4530	STHA5530	STHA6530
	4.0mm	STHA4540	STHA5540	STHA6540
	5.0mm	STHA4550	STHA5550	STHA6550
	6.0mm	STHA4560	STHA5560	STHA6560
	7.0mm	STHA4570	STHA5570	STHA6570

Temporary Abutment

Tightening Torque : 30Ncm




Diameter		4.5	4.5
Cuff(mm)		1.0 (Hex)	1.0 (Non-Hex)
Length	11mm	STTA453011HS	STTA453011NS

Invioss Implant System

ST Cemented Abutment

Tightening Torque : 30Ncm



Diameter		4.5				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STCA451040HS	STCA452040HS	STCA453040HS	STCA454040HS	STCA455040HS
	5.5mm	STCA451055HS	STCA452055HS	STCA453055HS	STCA454055HS	STCA455055HS
	7.0mm	STCA451070HS	STCA452070HS	STCA453070HS	STCA454070HS	STCA455070HS


Diameter		5.5				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STCA551040HS	STCA552040HS	STCA553040HS	STCA554040HS	STCA555040HS
	5.5mm	STCA551055HS	STCA552055HS	STCA553055HS	STCA554055HS	STCA555055HS
	7.0mm	STCA551070HS	STCA552070HS	STCA553070HS	STCA554070HS	STCA555070HS

Diameter		6.5				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STCA651040HS	STCA652040HS	STCA653040HS	STCA654040HS	STCA655040HS
	5.5mm	STCA651055HS	STCA652055HS	STCA653055HS	STCA654055HS	STCA655055HS
	7.0mm	STCA651070HS	STCA652070HS	STCA653070HS	STCA654070HS	STCA655070HS

Invioss Implant System

ST Cemented Abutment

Tightening Torque : 30Ncm



Diameter		4.5				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STCA451040NS	STCA452040NS	STCA453040NS	STCA454040NS	STCA455040NS
	5.5mm	STCA451055NS	STCA452055NS	STCA453055NS	STCA454055NS	STCA455055NS
	7.0mm	STCA451070NS	STCA452070NS	STCA453070NS	STCA454070NS	STCA455070NS


Diameter		5.5				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STCA551040NS	STCA552040NS	STCA553040NS	STCA554040NS	STCA555040NS
	5.5mm	STCA551055NS	STCA552055NS	STCA553055NS	STCA554055NS	STCA555055NS
	7.0mm	STCA551070NS	STCA552070NS	STCA553070NS	STCA554070NS	STCA555070NS

Diameter		6.5				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STCA651040NS	STCA652040NS	STCA653040NS	STCA654040NS	STCA655040NS
	5.5mm	STCA651055NS	STCA652055NS	STCA653055NS	STCA654055NS	STCA655055NS
	7.0mm	STCA651070NS	STCA652070NS	STCA653070NS	STCA654070NS	STCA655070NS

Invioss Implant System

ST Angled Abutment

Tightening Torque : 30Ncm




Diameter		4.5		
Cuff(mm)		2.0	3.0	4.0
A Type	STAAA154520HS	STAAA154520HS	STAAA154520HS	STAAA154520HS
B Type	STAAB154520HS	STAAB154520HS	STAAB154520HS	STAAB154520HS
Non-Hex	STAA154520NS	STAA154520NS	STAA154520NS	STAA154520NS

Diameter		5.5		
Cuff(mm)		2.0	3.0	4.0
A Type	STAAA155520HS	STAAA155520HS	STAAA155520HS	STAAA155520HS
B Type	STAAB155520HS	STAAB155520HS	STAAB155520HS	STAAB155520HS
Non-Hex	STAA155520NS	STAA155520NS	STAA155520NS	STAA155520NS

Invioss Implant System

ST Angled Abutment

Tightening Torque : 30Ncm




Diameter		4.5		
Cuff(mm)		2.0	3.0	4.0
A Type	STAAA254520HS	STAAA254520HS	STAAA254520HS	STAAA254520HS
B Type	STAAB254520HS	STAAB254520HS	STAAB254520HS	STAAB254520HS
Non-Hex	STAA254520NS	STAA254520NS	STAA254520NS	STAA254520NS

Diameter		5.5		
Cuff(mm)		2.0	3.0	4.0
A Type	STAAA255520HS	STAAA255520HS	STAAA255520HS	STAAA255520HS
B Type	STAAB255520HS	STAAB255520HS	STAAB255520HS	STAAB255520HS
Non-Hex	STAA255520NS	STAA255520NS	STAA255520NS	STAA255520NS

Invioss Implant System

Prosthetic Flow Chart


- ST SNAPFIT Abutment



Invioss Implant System

ST SNAPFIT Abutment

Tightening Torque : 30Ncm




Diameter		4.8				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STSFA481040H	STSFA482040H	STSFA483040H	STSFA484040H	STSFA485040H
	5.5mm	STSFA481055H	STSFA482055H	STSFA483055H	STSFA484055H	STSFA485055H
	7.0mm	STSFA481070H	STSFA482070H	STSFA483070H	STSFA484070H	STSFA485070H

Diameter		4.8				
Cuff(mm)		1.0	2.0	3.0	4.0	5.0
Length	4.0mm	STSFA481040N	STSFA482040N	STSFA483040N	STSFA484040N	STSFA485040N
	5.5mm	STSFA481055N	STSFA482055N	STSFA483055N	STSFA484055N	STSFA485055N
	7.0mm	STSFA481070N	STSFA482070N	STSFA483070N	STSFA484070N	STSFA485070N

Invioss Implant System

Prosthetic Flow Chart


- ST Multi unit Abutment



Invioss Implant System

ST Multi Unit Straight Abutment


Tightening Torque : 30Ncm



Diameter		4.8			
Cuff(mm)		1.0	2.0	3.0	4.0
Code		STMUSA4810	STMUSA4820	STMUSA4830	STMUSA4840

ST Multi Unit Angled Abutment

Tightening Torque : 30Ncm




Diameter		4.8			
Cuff(mm)		1.0	2.0	3.0	4.0
Hex	17°	STMUAA174810HS	STMUAA174820HS	STMUAA174830HS	STMUAA174840HS
	30°	STMUAA304810HS	STMUAA304820HS	STMUAA304830HS	STMUAA304840HS
Non-Hex	17°	STMUAA174810NS	STMUAA174820NS	STMUAA174830NS	STMUAA174840NS
	30°	STMUAA304810NS	STMUAA304820NS	STMUAA304830NS	STMUAA304840NS

Invioss Implant System

Prosthetic Flow Chart


-S-Loc Abutment System



Invioss Implant System


S-Loc Abutment

Tightening Torque : 30Ncm



Diameter		Ø3.5				
Cuff(mm)	1.0	2.0	3.0	4.0	5.0	
Code	ISLA3510	ISLA3520	ISLA3530	ISLA3540	ISLA3550	

S-Loc Retainer




Diameter		Ø4.5		
Height(mm)		2.0		
Code	ISLR35B	ISLR35G	ISLR35P	
Froce	4N	6N	10N (Option)	
Color	Blue	Green	Purple	


Invioss Implant System

Instrument

Hex Driver



Length(mm)	10	15	20	25
Code	IHDR1210S	IHDR1215S	IHDR1220S	IHDR1225S



Length(mm)	10	15
Code	IHDC1210	IHDC1215

Invioss Implant System

Instrument

Torque Ratchet



Code	STW60
------	-------



Homepage : www.invioss.com



Invioss co., ltd

16, Geumgok-ro 249beon-gil, Hwaseong-si Gyeonggi-do, Korea

Tel. +82-31-375-8520, FAX +82-31-375-8546



KTR Europe GmbH

Mergenthalerallee 77, Eschborn, Hessen, 65760, Germany

Tel. +49(0)6196-887170, Fax. +49(0)6196-8871728